EXHIBIT 5

1	Application No.	Applicant(s)				
	09/850,124	BALACHANDRAN ET AL.				
	Examiner	Art Unit				
	Eva Yi Zheng	2634				
The MAILING DATE of this communication appear All claims being allowable, PROSECUTION ON THE MERITS IS (O herewith (or previously mailed), a Notice of Allowance (PTOL-85) or NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIG of the Office or upon petition by the applicant. See 37 CFR 1.313 a	OR REMAINS) CLOSED in r other appropriate commining This application is s	n this application. If not included unication will be mailed in due course. THIS	s itive			
1. \boxtimes This communication is responsive to <u>RCE filed on 10/14/05</u> .						
2. The allowed claim(s) is/are 1, 3, 5, 6, 8-10,12-17,19, 21, 22,	and 24-26 .					
3. Acknowledgment is made of a claim for foreign priority under a) All b) Some* c) None of the: 1. Certified copies of the priority documents have be 2. Certified copies of the priority documents have be 3. Copies of the certified copies of the priority documents have be 1. Certified copies of the certified copies of the priority documents have be 1. Certified copies of the certified copies of the priority documents have be 1. Certified copies of the certified copies of the certified copies not received:	een received. een received in Applicatio	on No	ı			
Applicant has THREE MONTHS FROM THE "MAILING DATE" of noted below. Failure to timely comply will result in ABANDONME THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		a reply complying with the requirements				
4. A SUBSTITUTE OATH OR DECLARATION must be submitted informal patent application (PTO-152) which gives	ed. Note the attached EX reason(s) why the oath o	AMINER'S AMENDMENT or NOTICE OF redeclaration is deficient.				
5. CORRECTED DRAWINGS (as "replacement sheets") must I (a) including changes required by the Notice of Draftspersor 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's A Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84 each sheet. Replacement sheet(s) should be labeled as such in the 6. DEPOSIT OF and/or INFORMATION about the deposite attached Examiner's comment regarding REQUIREMENT FOR	n's Patent Drawing Review Amendment / Comment or (c)) should be written on the header according to 37 CF	r in the Office action of the drawings in the front (not the back) of R 1.121(d). ERIAL must be submitted. Note the				
Attachment(s)	E 🖂 Nation of la	formal Datas Application (DTO 450)				
 Notice of References Cited (PTO-892) Notice of Draftperson's Patent Drawing Review (PTO-948) 		formal Patent Application (PTO-152) ummary (PTO-413),				
	Paper No.	Mail Date				
Information Disclosure Statements (PTO-1449 or PTO/SB/08) Paper No./Mail Date		Amendment/Comment				
 Examiner's Comment Regarding Requirement for Deposit of Biological Material 	8. X Examiner's	8. X Examiner's Statement of Reasons for Allowance				
	9. Other					

U.S. Patent and Trademark Office PTOL-37 (Rev. 7-05) Application/Control Number: 09/850,124

Art Unit: 2634

Page 2

DETAILED ACTION

Request for Continued Examination

The request filed on Oct 14, 2005, for a Request for Continued Examination
 (RCE) under 37 CFR 1.114 based on parent Application No. 09/850,124 is acceptable
 and a RCE has been established. An action on the RCE follows.

Allowable Subject Matter

- 2. Claims 1, 3, 5, 6, 8-10,12-17,19, 21, 22, and 24-26 are allowed.
- 3. The following is an examiner's statement of reasons for allowance:

None of the prior art teaches or suggests a frequency hopping method as the current application. In specific, pseudorandomly selecting frequency from a set of N (total number of frequencies available) frequencies, where prior selected frequencies are prohibited from being selected again from the hopping set. Thus, repetition of frequency over time period T is reduced.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Application/Control Number: 09/850,124

Art Unit: 2634

Page 3

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Eva Y Zheng whose telephone number is 571-272-3049. The examiner can normally be reached on M-F, 7:30 AM to 5:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Stephen Chin can be reached on 571-272-3056. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Eva Yi Zheng Examiner Art Unit 2634

December 15, 2005

SUPERVISORY PATENT EXAMINE TECHNOLOGY CENTER 2600

WSOU-CANON-0000343

	Case 6:20-cv-00980-ADA Docume							SERIAL NO.		
	PATENT AND TRADEMARK OFFICE INFORMATION DISCLOSURE CITATION (Use several sheets if necessary)				29250-000873/US			09/850,124		
*					APPLICANT					
					K. BALACHANDRAN et al.					
				2003			GROU		P	
	Sheet I of I		THAT THAT THE THE					2681		
-			To make	MARKE OF						
U.S. PA	TENT DOCUM	MENTS	MADI							
Ref. Desig.	Examiner's Initials	Document Number	Date	Name			Class/ Subclass		(If appropriate) Filing Date	
	E.Z	5235613	08/1993	BROV	VN et al.	RECE	WE	7	1	
						APR 0	7 2903			
			-		Technology		Center 2600			
- 3-3-3-										-
		(4)				er de				
OREI	GN PATENT D	OCUMENTS			7					
Ref. Desig.	Examiner's Initials	Document Number	Date	Count	Country		Class/ Subclass		Translation Yes No	
	E.Z	WO 01/11795	02/2001	WIPO	WIPO		<	-	XXX	
	E. 7	GB 2340694	02/2000	UNITI	UNITED KINGDOM				xxx	
	6.7	WO 01/29984	04/2001	WIPO	WIPO				XXX	
					-					+
				+						+
				+						-
THEF	R DOCUMENT	S (including Author, Titl	e, Date, Pertinent	Pages, etc.)	,				
ef. esig.	Examiner's Initials									
					7					
			=							
								-	-	
		-								

Examiner: Date Considered: 5/4/04

EXAMINER: Please initial if citation considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Application No. 09/850,124
Docket No. 29250-000873/US

IN THE CLAIMS

Kindly amend claims 1, 3, 5, 8, 9, 10, 13, 14, 15, 17, 19, 21, 22, 24 and 26 as follows.

The following is a complete listing of revised claims with a status identifier in parenthesis.

LISTING OF CLAIMS

(Currently Amended) A method for use in wireless equipment, 1. the method comprising the steps of:

transmitting signals using frequency hopping over a time period T, by pseudorandomly selecting a frequency from a set of N frequencies such that over at least a portion of the time period T, the frequency selection is constrained to less than the N frequencies and such that at least one of the selected frequencies is prohibited from subsequent selection in at least a portion of the time period T[[.]],

where N is the total number of frequencies available for frequency hopping.

- 2. (Cancelled)
- 3. (Currently Amended) A method of frequency hopping for use in wireless equipment, the method comprising the steps of:

storing a set of hopping frequencies; and

pseudorandomly selecting frequencies from the set of hopping frequencies over a time period T by limiting the available frequencies from the

hopping set over at least a portion of the time period T such that at least one of the selected frequencies is prohibited from subsequent selection in at least a portion of the time period T.

- 4. (Cancelled)
- 5. (Currently Amended) A method of frequency hopping for use in wireless equipment, the method comprising the steps of:

initializing a hopping set to a size of F frequencies, the hopping set used to pseudorandomly select therefrom hopping frequencies over a time period T; and

reducing the size of the hopping set over a portion of the time period T by at least one frequency such that at least one of the selected frequencies is prohibited from subsequent selection in at least a portion of the time period T [].]].

where F is the number of frequencies in a hopping state, H, over which a wireless endpoint is constrained to hop.

6. (Currently Amended) A method of frequency hopping for use in wireless equipment, the method comprising the steps of:

initializing a hopping set to a size of N frequencies, the hopping set used to select therefrom hopping frequencies over a time period T; and

pseudorandomly selecting frequencies from the hopping set over the time period T such that at least one of the selected frequencies is prohibited from subsequent selection in at least a portion of the time period T[[.]].

where N is the total number of frequencies available for frequency hopping.

- 7. (Cancelled)
- 8. (Currently Amended) A method of frequency hopping for use in wireless equipment, where a hopping set is initialized to a size of *N* frequencies, the hopping set used to select therefrom hopping frequencies over a time period *T*, the method comprising the steps of:

determining a hopping index value;

modifying the hopping index value by at least the modulo of a number F, where $F \le N$;

pseudorandomly selecting a hopping frequency from the hopping set of a function of the modified hopping index value;

adjusting the order of the hopping set such that the selected hopping frequency is now at a position corresponding to the value of F and such that at least one of the selected frequencies is prohibited from subsequent selection in at least a portion of the time period T;

reducing the value of F; and returning to the determining step[[.]].

where N is the total number of frequencies available for frequency hopping and where F is the number of frequencies in a hopping state, H, over which a wireless endpoint is constrained to hop.

- 9. (Currently Amended) The method of claim 8 wherein when the value of F reaches a predefined minimum value, further including the step of shifting the hopping set in a cyclical direction by a value equal to a difference between a predefined maximum value for F and the minimum value, modulo N.
- 10. (Currently Amended) A method for frequency hopping for use in wireless equipment, the method comprising the steps of:

initializing a hopping set to a size of N frequencies, the hopping set used to select therefrom hopping frequencies over a time period T;

dividing the hopping set into an allowable frequency set and a prohibited frequency set;

pseudorandomly selecting frequencies from the allowable frequency set;

after at least one frequency selection, adjusting the membership in the allowable frequency set and the prohibited frequency set such that at least one of the selected frequencies is prohibited from subsequent selection in at least a portion of the time period T [[.]].

where N is the total number of frequencies available for frequency hopping.

11. (Cancelled)

- 12. (Original) The method of claim 10 wherein membership in the allowable frequency set and the prohibited frequency set at a current time is derived from knowledge of the allowable frequency set and the prohibited frequency set at an earlier time.
- 13. (Currently Amended) The method of claim 10 wherein knowledge of the allowable frequency set and the prohibited frequency set at a particular time is provided by one wireless endpoint to the other another wireless endpoint through explicit signaling.
- 14. (Original) The method of claim 10 wherein all N frequencies in the hopping set are assumed allowable at pre-determined time instants.
- 15. (Currently Amended) A pseudorandom frequency hopping method for use in wireless equipment, the method comprising the steps of:

dividing a hopping set into an allowable frequency set and a prohibited frequency set; and

transmitting information associated with the division of the hopping set to another wireless endpoint such that at least one of the selected frequencies is prohibited from subsequent selection in at least a portion of the time period \underline{T} .

16. (Original) The method of claim 15 wherein the transmitted information enables the other wireless endpoint to derive the allowable frequency set.

17. (Currently Amended) A wireless endpoint comprising:

a transmitter for transmitting signals using frequency hopping over a time period T; and

a processor for pseudorandomly selecting a frequency from a set of N frequencies such that over at least a portion of the time period T, the frequency selection is constrained to less than the N frequencies and such that at least one of the selected frequencies is prohibited from subsequent selection in at least a portion of the time period T [[.]],

where N is the total number of frequencies available for frequency hopping.

- 18. (Cancelled)
- 19. (Currently Amended) A wireless endpoint comprising: a memory for storing a set of hopping frequencies; and

a processor for pseudorandomly selecting frequencies from the set of hopping frequencies over a time period T by limiting the available frequencies from the hopping set over at least a portion of the time period T such that at least one of the selected frequencies is prohibited from subsequent selection in at least a portion of the time period T.

- 20. (Cancelled)
- 21. (Currently Amended) A wireless endpoint comprising:
- a memory for storing a hopping set comprising F frequencies, the hopping set used to pseudorandomly select therefrom hopping frequencies over a time period T; and

a processor for reducing the size of the hopping set over a portion of the time period T by at least one frequency such that at least one of the selected frequencies is prohibited from subsequent selection in at least a portion of the time period T[[.]].

where F is the number of frequencies in a hopping state, H, over which a wireless endpoint is constrained to hop.

- 22. (Currently Amended) A wireless endpoint comprising:
- a memory for storing a hopping set comprising N frequencies, the hopping set used to select therefrom hopping frequencies over a time period T; and
- a processor for pseudorandomly selecting frequencies from the hopping set over a time period T such that at least one of the selected frequencies is prohibited from subsequent selection in at least a portion of the time period T[[.]].

where N is the total number of frequencies available for frequency hopping.

- 23. (Cancelled)
- 24. (Currently Amended) A wireless endpoint comprising:
- a memory for storing a hopping set comprising N frequencies, the hopping set used to pseudorandomly select therefrom hopping frequencies over a time period T; and

a processor for (a) determining a hopping index value, (b) modifying the hopping index value by at least the modulo of a number F where $F \leq N$, (c) selecting a hopping frequency from the hopping set as a function of the modified hopping index value, (d) adjusting the order of the hopping set such that the selected hopping frequency is now at a position corresponding to the value of F such that at least one of the selected frequencies is prohibited from subsequent selection in at least a portion of the time period T, (e) reducing the value of F; and (f) returning to (a) [[.]],

where N is the total number of frequencies available for frequency hopping and where F is the number of frequencies in a hopping state, H, over which a wireless endpoint is constrained to hop.

25. (Original) The wireless endpoint of claim 24 wherein when the value of F reaches a predefined minimum value, the processor further shifts the hopping set in a cyclical direction by a value equal to a difference between a predefined maximum value for F and the minimum value, modulo N.

26. (Currently Amended) A wireless endpoint comprising:

a memory for storing a hopping set comprising N frequencies, the hopping set used to select therefrom hopping frequencies over a time period T; and

a processor for (a) dividing the hopping set into an allowable frequency set and a prohibited frequency set, (b) pseudorandomly selecting frequencies from the allowable frequency set, and (c) after at least one frequency selection, adjusting the membership in the allowable frequency set and the prohibited frequency set such that at least one of the selected frequencies is prohibited from subsequent selection in at least a portion of the time period T([.]),

where N is the total number of frequencies available for frequency hopping.

27. (Cancelled)